Series D Metering Pumps

Economical accuracy and reliability for chemigation operations.



Series D Simplex System Pumps For Top Efficiency At A Lower Cost

SERIES D CAPACITIES INCLUDE 26, 52, AND 90 GALLONS PER HOUR.

Specifications:

Capacity 50 gph (simplex only) Turndown 10% to 100% Steady State Accuracy + or - 2% Pump Style Mechanically actuated diaphragm Polypropylene Liquid End Pressure Rating 100 psi Weight 55 lbs. with pump, base and motor 1/4 hp 480 3 phase, Motor 56 C frame Housing Cast Steel Capacity Control Micrometer (adjustable while running) **Drive Lubrication** Oil Bath Pump Warranty 3 Years



Series D Pump



Easy to Read Micrometer Dial



Easily Accessible Filter Assembly

Now you can afford the best! The MacRoy D pump is no exception to the quality and reliability you have come to expect from Agri-Inject.

The cost-effective choice.

With a lower purchase price and the potential for savings in operating costs the Series D pump shortens the time required to recover your initial investment. This pump is ideal if you think a change in land use or equipment might be forthcoming.

- Available in simplex only, 50 gallons per hour maximum flow.
- Large, easy-to-read dial lets you adjust flow, quickly and simply, while pump is running. The dial can be locked in position to maintain constant flow.
- Mechanically actuated Teflon diaphragm enables precision flow rate control, even at low volumes.

- Durable, metallic housing and corrosion resistant coatings give the Series
 D pump the toughness to stand up to harsh chemicals and the weather.
- Backed by a three year warranty.
- Precision stroke adjustment can be operated while the pump is running or stopped.
- Steady State Accuracy ± 2% of full capacity over the 100% to 10% turndown ratio.
- Accessible filter assembly helps protect pump, plumbing and connections from foreign objects.
- Only two major moving parts with oil bath lubrication for reliable operation and minimum maintenance.
- Choice of single phase, 12 Volt or three phase electric motors in 56c frame vertical mount.

Series D Pump comes complete with a stable polypropylene base that resists the effects of corrosion, chemicals, and mother nature.



Agri-Inject, Inc.

5500 East Highway 34 Yuma, Colorado USA 80759

For the name or location of your nearest *Agri-Inject* Dealer, contact us at:

Telephone: 970-848-5336 Toll Free (Within Continental U.S.): 1-800-446-5328



http://www.agri-inject.com e-mail: inject@plains.net